ELSEVIER

Author Index

A

Abe M, Udono H, Tabuchi K, Uchino A, Yoshikai T, Taki K, Analysis of ischemic brain damage in cases of acute subdural hematomas, 464
Ahlhelm F. *See* Caspar W
Akada K. *See* Nishioka H
Akino M. *See* Yamaguchi S
Amidei C. *See* Macdonald RL
Annunziata GM. *See* Cone LA
Aoki T. *See* Takase T
Arita K. *See* Yamasaki F
Asakura F, Tenjin H, Sugawa N, Kimura S, Oki F. Evaluation of intra-aneurysmal blood flow by digital subtraction angiography: Blood flow change after coil embolization, 310
Asfora WT, Schwebach L. A modified technique to treat chronic and subacute subdural hematoma: Technical note, 329
Atkinson JLD. Intracranial suppuration: A clinical comparison of subdural empyemas and epidural abscesses, 196–com
Atkinson JLD. Meningeal hemangiopericytomas: Long-term outcome and biological behavior, 54–com
Ausman JI. Editor's choice, 76–ed
Ausman JI. Editor's note, 78–ed
Ausman JI. In this issue, 3–ed, 83–ed, 143–ed, 239–ed, 341–ed, 439–ed
Ausman JI. ISAT study: Is coiling better than clipping?, 162
Ausman JI. Malpractice crisis, 348–ed
Ausman JI. Malpractice crisis-I [I told you it would happen], 234–ed
Ausman JI. Medico-legal aspects of neurosurgical practice, 345–ed
Ausman JI. Meningiomas–the future: Is 2020 here?, 140–ed
Ausman JI. Neurosurgeons, work stoppages, and the art of negotiation, 436–ed
Ausman JI. Practice patterns in the U.S., 75–ed
Ausman JI. Practice patterns in the USA-VI, 521–ed
Ausman JI. 30th anniversary year of surgical neurology, 1–ed
Ausman JI. Treat the patient not the disease, 139–ed
Ausman JI. Why everyone picks on doctors, 336–ed
Avci E, Kocaogullar Y, Fossett D, Caputy A. Lateral posterior fossa venous sinus relationships to surface landmarks, 392
Aydin Y. *See* Kaya RA

B

Baba H. *See* Honda M
Baron J. *See* Macdonald RL
Barron J. *See* Maroun F
Baskaya MK. *See* Nanda A
Batjer HH. ISAT study: Is coiling better than clipping?, 168–com
Batjer HH. Management of carotid artery injuries: Louisiana State University Shreveport experience, 190–com
Batjer HH. The World Federation of Neurological Surgeons Scale for subarachnoid haemorrhage, 237–com
Behnke E. *See* Bryant JA
Belber CJ. *See* Bosma JJD
Berkman MZ. *See* Iplikcioglu AC
Besser M. Importance of neuropsychological evaluation after surgery in patients with unruptured cerebral aneurysm, 276–com
Bindal R, Goodman JM, Kawasaki A, Purvin V, Kuzma B. The natural history of untreated skull base meningiomas, 87
Birbaumer N. *See* Duffner F
Black P. Visualization of the eloquent motor system by integration of MEG, functional, and anisotropic diffusion-weighted MRI in functional neuronavigation, 362–com
Boehm FH. I'm not going to take it anymore, 244
Böker D-K. *See* Daentzer D
Bonner JT. *See* Bosma JJD
Bosma JJD, Warnke PC, Bonner JT, Stoll A, Belber CJ. Readers' comment, 338–rc
Bronstein J. *See* Bryant JA
Brotchi J. Pineal region lesion masquerading choroid plexus papilloma: Case report, 127–com
Brown F. *See* Macdonald RL
Bryant JA, De Salles A, Cabatan C, Frysinger R, Behnke E, Bronstein J. The impact of thalamic stimulation on activities of daily living for essential tremor, 479
Buchfelder M. Combining MEG and MRI with neuronavigation for treatment of an epileptiform spike focus in the precentral region: A technical case report, 45–com
Bucy PC. Editorial policy, 79–ed
Bucy PC. Research, 80–ed
Bucy PC. "United we stand," 335–ed
Bulsara KR. *See* McGirt MJ
Bulsara KR, Villavicencio AT, Shah AJ, McGirt MJ, George TM. Successful aqueductal plasty and stenting for tectal plate tumor after failed third ventriculostomy: A case report, 58
Bundschuh O. *See* Nakamura M
Burchiel KJ. The impact of thalamic stimulation on activities of daily living for essential tremor, 484–com

© 2003 by Elsevier Inc.
360 Park Avenue South, New York, NY 10010–1710

0090-3019/03/$–see front matter
doi:10.1016/S0090-3019(03)00000-0

Buyse G, Van Calenbergh F, Choux M, Demaerel P, Sciot R, Verpoorten C. Segmental spinal cord hypoplasia and meningocele with preservation of medullary function: Case report, 504
Byrd RG. *See* Cone LA

C

Cabatan C. *See* Bryant JA
Cahill DW. I'm not going to take it anymore, 247–com
Çalgüner E. *See* Keskil S
Campbell R. Malpractice crisis, 350–com
Caputy A. *See* Avci E
Carey ME. MR demonstration of brain abscess rupture into the subarachnoid space and its possible implication in management, 199–com
Caspar W, Papavero L, Nabhan A, Loew C, Ahlelm F. Microsurgical excision of symptomatic sacral perineurial cysts: A study of 15 cases, 101
Chang W-N. *See* Tsai Y-D
Chan KW. *See* Chan SWW
Chan SWW, Datta NN, Thomas TMM, Chan KW. Intracranial chloroma in hypereosinophilic myelofibrosis, 55
Charbel FT. Effects of EC-IC bypass surgery on cognitive impairment in patients with hemodynamic cerebral ischemia, 460–com
Chawla J, Husain M, Vatsal DK, Jha D, Husain N, Gupta RK. MR demonstration of brain abscess rupture into the subarachnoid space and its possible implication in management, 197
Chen J-F. *See* Lee S-T
Cherewatenko V. To the Robin Hood era and back, 435–ed
Choi S-J, Lee S-W, Kim M-C, Kwon J-Y, Park C-K, Sung J-H, Hong J-T, Woo H-K. Posteroventral pallidotomy in medically intractable postapoplectic monochorea: Case report, 486
Choux M. *See* Buyse G
Christiano J. The impact of thalamic stimulation on activities 484-comof daily living for essential tremor
Chung SK. *See* Lee KC
Cochran E. Primary epithelioid hemangioendothelioma originating in the lower petroclival region: Case report, 434–com
Cohen A. Comparison of revision rates following endoscopically *versus* nonendoscopically placed ventricular shunt catheters, 379–com
Cole H. The effects of hydrogen peroxide on brain and brain tumors, 407–com
Cone LA, Leung MM, Byrd RG, Annunziata GM, Lam RY, Herman BK. Multiple cerebral abscesses because of *Listeria monocytogenes:* Three case reports and a literature review of supratentorial listerial brain abscess(es), 320
Cone LA, Padilla L, Potts BE. Delirium in the elderly resulting from azithromycin therapy, 508
Consales A, Roncaroli F, Salvi F, Poppi M. Amyloidoma of the brachial plexus, 418
Cosgrove GR. Visualization of the eloquent motor system by integration of MEG, functional, and anisotropic diffusion-weighted MRI in functional neuronavigation, 361–com
Cramer B. *See* Maroun F
Crone KR. Lumbar peritoneal shunting with video-laparoscopic assistance: A useful technique for the management of refractory postoperative lumbar· CSF leaks, 477–com

D

Daentzer D, Deinsberger W, Böker D-K. Vertebral artery complications in anterior approaches to the cervical spine: Report of two cases and review of literature, 300
Dalkiliç T. *See* Kaya RA
Dan NG. Percutaneous trigeminal ganglion balloon compression for treatment of trigeminal neuralgia–Part I: Pressure recordings, 66–com
Datta CNN. *See* Chan SWW
de Almeida CM. MR demonstration of brain abscess rupture into the subarachnoid space and its possible implication in management, 199–com
Debrun G. Angioplasty and coiling of ruptured aneurysm with symptomatic vasospasm: Technical case report, 417–com
Debrun G. ISAT study: Is coiling better than clipping?, 168–com
Deen HG, Pettit PD, Sevin BU, Wharen RE, Reimer R. Lumbar peritoneal shunting with video-laparoscopic assistance: A useful technique for the management of refractory postoperative lumbar CSF leaks, 473
Deinsberger W. *See* Daentzer D
Demaerel P. *See* Buyse G
De Salles A. *See* Bryant JA
Dias MS. Malpractice crisis, 350–com
Dohrmann GJ. Dr. Paul Bucy and the M. D./Ph.D. program, 232
Dohrmann GJ. Surgical neurology: The beginning, 8–ed
Dowd CF. Posterior fossa hemorrhage caused by dural arteriovenous fistula: Case reports, 515–com
Duffner F, Freudenstein D, Schiffbauer H, Preissl H, Siekmann R, Birbaumer N, Grote EH. Combining MEG and MRI with neuronavigation for treatment of an epileptiform spike focus in the precentral region: A technical case report, 40

E

Edwards MSB. Successful aqueductal plasty and stenting for tectal plate tumor after failed third ventriculostomy: A case report, 62–com
Eguchi K. *See* Yamasaki F
Erickson RK. *See* Macdonald RL

F

Fahlbusch R. Combining MEG and MRI with neuronavigation for treatment of an epileptiform spike focus in the precentral region: A technical case report, 45–com
Faria MA Jr. Patients' Bill of Rights or trial lawyers' bill of delights, 333–ed
Farrell L. *See* Mesiwala AH
Feldenzer JA. I'm not going to take it anymore, 244–com
Fernandez E. Amyloidoma of the brachial plexus, 423–com

Fessler RG. Phrenic nerve stimulation for diaphragm pacing with a spinal cord stimulator: Technical note, 132–com
Filippi R. *See* Reisch R
Findlay JM. The effect of short-term antifibrinolytic therapy on experimental vasospasm, 16–com
Fossett D. *See* Avci E
Freudenstein D. *See* Duffner F
Friedman AH. *See* McGirt MJ
Friedman WA. MRI-guided stereotactic biopsy in the diagnosis of glioma: Comparison of biopsy and surgical resection specimen, 282–com
Frim D. *See* Macdonald RL
Frysinger R. *See* Bryant JA
Fuchs HE. *See* Villavicencio AT
Fujumaki H. *See* Watanabe T
Fukuda H. *See* Takase T
Fukuda H, Ishikawa M, Okumura R. Demonstration of neurovascular compression in trigeminal neuralgia and hemifacial spasm with magnetic resonance imaging: Comparison with surgical findings in 60 consecutive cases, 93

G

Geerts W. Randomized, pilot study of intermittent pheumatic compression devices plus dalteparin *versus* intermittent pneumatic devices plus heparin for prevention of venous thromboembolism in patients undergoing craniotomy, 372–com
George TM. *See* Bulsara KR; Villavicencio AT
Ghatan S. *See* Mesiwala AH
Golfinos J. *See* Kroppenstedt S-N
Goodkin R. Malpractice crisis, 348–com
Goodman JM. *See* Bindal R
Goodman JM. Vertebral artery complications in anterior approaches to the cervical spine: Report of two cases and review of literature, 309–com
Gözil R. *See* Keskil S
Grant JA. Successful aqueductal plasty and stenting for tectal plate tumor after failed third ventriculostomy: A case report, 61–com
Griebel RW. *See* Khan S-NH
Grote EH. *See* Duffner F
Grubb RL Jr. Effects of EC-IC bypass surgery on cognitive impairment in patients with hemodynamic cerebral ischemia, 461–com
Gupta RK. *See* Chawla J

H

Haase J. I'm not going to take it anymore, 246–com
Hamada J-i. *See* Kai Y
Hamilton A. Randomized, pilot study of intermittent pneumatic compression devices plus dalteparin *versus* intermittent pneumatic devices plus heparin for prevention of venous thromboembolism in patients undergoing craniotomy, 373–com
Han DH. *See* Kim MS
Han MH. *See* Kim MS
Haraoka J. *See* Nishioka H
Harbaugh RE. ISAT study: Is coiling better than clipping?, 165–com
Hardy J. Growth potential of prolactinomas in men: Is it really different from women?, 391–com
Hassler W. The effects on prognosis of surgical treatment of hypertensive putaminal hematomas through Transsylvian transinsular approach, 183–com
Hatakeyama T. *See* Ohue S
Hatsuda N. *See* Nakajima M
Hattingh S. *See* Khan S-NH
Hekmatpanah J. *See* Macdonald RL
Herman BK. *See* Cone LA
Hernesniemi J. ISAT study: Is coiling better than clipping?, 169–com
Hida K. *See* Yamaguchi S
Honda M, Toda K, Baba H, Yonekura M. Congenital cavernous angioma of the temporal bone: Case report, 120
Hong J-T. *See* Choi S-J
Hopkins JS. *See* Villavicencio AT
Hori T. *See* Taira T
Hotta T. *See* Yamasaki F
Houkin K. *See* Kamada K
Houtteville J-P. Surgical management of brain-stem cavernous malformations: Report of 137 cases, 454–com
Husain M. *See* Chawla J
Husain N. *See* Chawla J
Hussain MS. *See* Khan S-NH
Hwang S-K. *See* Kim JH

I

Ikeda J. *See* Kamada K
Iplikcioglu AC, Berkman MZ. The effect of short-term antifibrinolytic therapy on experimental vasospasm, 10
Ishiguro T. *See* Iwai Y
Ishii N. *See* Kamada K
Ishikawa M. *See* Fukuda H; Takase T
Isono M. *See* Ooba H
Itoh K. *See* Taira T
Iwai Y, Yamanaka K, Ishiguro T. Surgery combined with radiosurgery of large acoustic neuromas, 283
Iwasaki Y. *See* Kamada K; Yamaguchi S

J

Jaaskelainen J. Visualization of the eloquent motor system by integration of MEG, functional, and anisotropic diffusion-weighted MRI in functional neuronavigation, 362–com
Jacob J. *See* Maroun F
Jannetta PJ. Effects of EC-IC bypass surgery on cognitive impairment in patients with hemodynamic cerebral ischemia, 460–com
Jawahar A. *See* Nanda A
Jha D. *See* Chawla J
Jimenez DF. Lumbar peritoneal shunting with video-laparoscopic assistance: A useful technique for the management of refractory postoperative lumbar CSF leaks, 478–com
Jung H-W. *See* Kim JH

K

Kaido T, Okazaki A, Kurokawa S-I, Tsukamoto M. Pathogenesis of intraparenchymal epidermoid cyst

in the brain: A case report and review of the literature, 211
Kaiser MG. Vertebral artery complications in anterior approaches to the cervical spine: Report of two cases and review of literature, 309–com
Kai Y, Hamada J-i, Nishi T, Morioka M, Mizuno T, Ushio Y. Usefulness of multiple-site venous sampling in the treatment of adrenocorticotropic hormone-producing pituitary adenomas, 292
Kakizawa Y. *See* Kyoshima K
Kamada K, Houkin K, Takeuchi F, Ishii N, Ikeda J, Sawamura Y, Kuriki S, Iwasaki Y. Visualization of the eloquent motor system by integration of MEG, functional, and anisotropic diffusion-weighted MRI in functional neuronavigation, 353
Kamida T. *See* Ooba H
Kamitani H. *See* Tatebayashi K
Kamiya M. *See* Watanabe T
Kanpolat Y. Common surgical pitfalls in the skull, 231–com
Kanpolat Y. Posteroventral pallidotomy in medically intractable postapoplectic monochorea: Case report, 490–com
Kao M-C. Percutaneous trigeminal ganglion balloon compression for treatment of trigeminal neuralgia–Part I: Pressure recordings, 66–com
Karashima A. *See* Ooba H
Karimi M. *See* Rahimi-Movaghar V
Katsuki T. *See* Takase T
Katsumata A. *See* Sugiu K
Kawakami S. *See* Tatebayashi K
Kawasaki A. *See* Bindal R
Kawase T. Importance of neuropsychological evaluation after surgery in patients with unruptured cerebral aneurysm, 275–com
Kawauchi M. *See* Yunoki M
Kaya RA, Türkmenoğlu O, Ziyal IM, Dalkiliç T, Sahin Y, Aydin Y. The effects on prognosis of surgical treatment of hypertensive putaminal hematomas through Transsylvian transinsular approach, 176
Kelly PJ. I'm not going to take it anymore, 248–com
Kelly PJ. Insurance and the depersonalization of medicine, 133
Kelly PJ. MRI-guided stereotactic biopsy in the diagnosis of glioma: Comparison of biopsy and surgical resection specimen, 281–com
Kerr RSC. Importance of neuropsychological evaluation after surgery in patients with unruptured cerebral aneurysm, 275–com
Kerr RSC. ISAT study: Is coiling better than clipping?, 173–com
Keskil S, Gözil R, Çalgüner E. Common surgical pitfalls in the skull, 228
Khan S-NH, Hussain MS, Griebel RW, Hattingh S. Title comparison of primary and secondary spinal epidural abscesses: A retrospective analysis of 29 cases, 28
Kim CJ. *See* Kim JH
Kim DG. *See* Kim JH
Kim JH, Jung H-W, Kim Y-S, Kim CJ, Hwang S-K, Paek SH, Kim DG, Kwun BD. Meningeal hemangiopericytomas: Long-term outcome and biological behavior, 47
Kim M-C. *See* Choi S-J
Kim MS, Han DH, Han MH, Oh C-W. Posterior fossa hemorrhage caused by dural arteriovenous fistula: Case reports, 511
Kimura S. *See* Asakura F
Kim Y-S. *See* Kim JH
Kobayashi H. *See* Ooba H
Kobayashi S. ISAT study: Is coiling better than clipping?, 167–com
Kocaogullar Y. *See* Avci E
Kodama N. Spinal subdural hematoma: A sequela of a ruptured intracranial aneurysm?, 412–com
Kodama Y. *See* Yamasaki F
Koivisto T. ISAT study: Is coiling better than clipping?, 169–com
Konovalov AN, Pitskhelauri DI. Principles of treatment of the pineal region tumors, 250
Konovalov AN. Surgical management of brain-stem cavernous malformations: Report of 137 cases, 454–com
Kroppenstedt S-N, Golfinos J, Sonntag VKH, Spetzler RF. Pineal region lesion masquerading choroid plexus papilloma: Case report, 124
Kumon Y. *See* Ohue S
Kuriki S. *See* Kamada K
Kurisu K. *See* Yamasaki F
Kuroda K. *See* Sasoh M
Kurokawa S-I. *See* Kaido T
Kuzma B. *See* Bindal R
kwon J-Y. *See* Choi S-J
Kwun BD. *See* Kim JH
Kyoshima K, Kakizawa Y, Tokushige K. Simple cervical spine traction using a halo vest apparatus: Technical note, 517

L

Lam RY. *See* Cone LA
Lee JW. *See* Lee KC
Lee KC, Lee KS, Shin YS, Lee JW, Chung SK. Surgery for posterior communicating artery aneurysms, 107
Lee KS. *See* Lee KC
Lee S-T, Chen J-F. Percutaneous trigeminal ganglion balloon compression for treatment of trigeminal neuralgia–Part I: Pressure recordings, 63
Lee S-W. *See* Choi S-J
Leung MM. *See* Cone LA
Leveque J-C. *See* Villavicencio AT
Liang C-L. *See* Tsai Y-D
Liliang P-C. *See* Tsai Y-D
Lin X. *See* Zhi D
Lin Y-C. *See* Tsai Y-D
Liu A. *See* Wang C-c
Loew C. *See* Caspar W
Long DM. I'm not going to take it anymore, 247–com
Lu C-H. *See* Tsai Y-D
Lu K. *See* Tsai Y-D
Lunsford LD. Surgery combined with radiosurgery of large acoustic neuromas, 290–com

M

Macdonald RL, Amidei C, Baron J, Weir B, Brown F, Erickson RK, Hekmatpanah J, Frim D. Randomized, pilot study of intermittent pneumatic compression devices plus dalteparin *versus* intermittent

pneumatic devices plus heparin for prevention of venous thromboembolism in patients undergoing craniotomy, 363
Maiman DJ. Simple cervical spine traction using a halo vest520-com apparatus: Technical note
Malis LI. Schwannoma of the spinal accessory nerve in the cisterna magna, 222–com
Malis LI. Surgery combined with radiosurgery of large acoustic neuromas, 290–com
Maroun F, Squarey K, Jacob J, Murray G, Cramer B, Barron J, Weir B. Rupture of middle cerebral artery aneurysm in a neonate: Case report and review of the literature, 114
Matsuda M. *See* Nakajima M
Matsumura N. *See* Murakami K
Matthies C. Surgery combined with radiosurgery of large acoustic neuromas, 289–com
Mayberg MR. The effects on prognosis of surgical treatment of hypertensive putaminal hematomas through Transsylvian transinsular approach, 183–com
McCormick PC. Vertebral artery complications in anterior appr309-comoaches to the cervical spine: Report of two cases and review of literature
McGirt MJ. *See* Bulsara KR; Villavicencio AT
McGirt MJ, Villavicencio AT, Bulsara KR, Friedman AH. MRI-guided stereotactic biopsy in the diagnosis of glioma: Comparison of biopsy and surgical resection specimen, 277
Menezes AH. A recurrent intradural cervical neurenteric cyst operated on using an anterior approach: A case report, 39–com
Mesiwala AH, Farrell L, Santiago P, Ghatan S, Silbergeld DL. The effects of hydrogen peroxide on brain and brain tumors, 398
Midorikawa H. *See* Murakami K
Mizuno T. *See* Kai Y
Molyneaux A. ISAT study: Is coiling better than clipping?, 173–com
Morioka M. *See* Kai Y
Murakami K, Takahashi N, Matsumura N, Umezawa K, Midorikawa H, Nishijima M. Vertebrobasilar artery dissection presenting with simultaneous subarachnoid hemorrhage and brain stem infarction: Case report, 18
Murray G. *See* Maroun F

N

Nabhan A. *See* Caspar W
Nakajima M, Nakasu S, Hatsuda N, Takeichi Y, Watanabe K, Matsuda M. Third ventricular chordoid glioma: Case report and review of the literature, 424
Nakamura M, Roser F, Bundschuh O, Vorkapic P, Samii M. Intraventricular meningiomas: A review of 16 cases with reference to the literature, 491
Nakasu S. *See* Nakajima M
Nakazato Y. *See* Watanabe T
Nanda A, Vannemreddy PSSV, Willis BK, Baskaya MK, Jawahar A. Management of carotid artery injuries: Louisiana State University Shreveport experience, 184
Neblett CR. I'm not going to take it anymore, 247–com
Nishijima M. *See* Murakami K
Nishioka H, Haraoka J, Akada K. Growth potential of prolactinomas in men: Is it really different from women?, 386
Nishi S. *See* Takase T
Nishi T. *See* Kai Y
Numata H. *See* Tatebayashi K

O

Odaka M. *See* Saito I
Ogasawara K. *See* Sasoh M
Ogawa A. *See* Sasoh M
Ogungbo B. The World Federation of Neurological Surgeons Scale for subarachnoid haemorrhage, 236–rc
Oh C-W. *See* Kim MS
Ohmoto T. *See* Sugiu K; Yunoki M
Ohnishi T. *See* Ohue S
Ohta S. *See* Ohue S
Ohue S, Oka Y, Kumon Y, Ohta S, Sakaki S, Hatakeyama T, Shiraishi T, Takeda S, Ohnishi T. Importance of neuropsychological evaluation after surgery in patients with unruptured cerebral aneurysms, 269
Oikawa A. *See* Taira T
Oka Y. *See* Ohue S; Saito I
Okazaki A. *See* Kaido T
Oki F. *See* Asakura F
Okuguchi T. *See* Sasoh M
Okumura R. *See* Fukuda H
Ono Y. *See* Sugiu K
Ooba H, Kamida T, Isono M, Kobayashi H, Karashima A, Yamashita M. Chronic intraventricular encapsulated hematoma presenting unique radiological features: A case report, 23
Ostertag C. MRI-guided stereotactic biopsy in the diagnosis of glioma: Comparison of biopsy and surgical resection specimen, 282–com
Owaki H. *See* Takase T

P

Padilla L. *See* Cone LA
Paek SH. *See* Kim JH
Pang D. Segmental spinal cord hypoplasia and meningocele with preservation of medullary function: Case report, 507–com
Papavero L. *See* Caspar W
Park C-K. *See* Choi S-J
Pearce JE. A modified technique to treat chronic and subacute subdural hematoma: Technical note, 332–com
Pearce JE. Microsurgical excision of symptomatic sacral perineurial cysts: A study of 15 cases, 105–com
Pelofsky S. I'm not going to take it anymore, 248–com
Pendl G. The natural history of untreated skull base meningiomas, 92–com
Perneczky A. *See* Reisch R
Pettit PD. *See* Deen HG
Pitskhelauri DI. *See* Konovalov AN
Poppi M. *See* Consales A
Porter RW. Surgical management of brain-stem cavernous malformations: Report of 137 cases, 454–com
Portnoy HD. Malpractice crisis, 348–com

Post KD. Usefulness of multiple-site venous sampling in the treatment of adrenocorticotropic hormone-producing pituitary adenomas, 298–com
Potts BE. *See* Cone LA
Potts E. Vertebral artery complications in anterior approaches to the cervical spine: Report of two cases and review of literature, 309–com
Preissl H. *See* Duffner F
Purvin V. *See* Bindal R

R
Rahimi-Movaghar V, Karimi M. Meningeal melanocytoma of the brain and oculodermal melanocytosis (nevus of ota):Case report and literature review, 200
Rau C-S. *See* Tsai Y-D
Reimer R. *See* Deen HG
Reisch R, Perneczky A, Filippi R. Surgical technique of the supraorbital key-hole craniotomy, 223
Rekate HL. Congenital cavernous angioma of the temporal bone: Case report, 123–com
Rezai AR. Combining MEG and MRI with neuronavigation for treatment of an epileptiform spike focus in the precentral region: A technical case report, 45–com
Richter HA. I'm not going to take it anymore, 245–com
Rinne J. ISAT study: Is coiling better than clipping?, 169–com
Roberts T. Combining MEG and MRI with neuronavigation for treatment of an epileptiform spike focus in the precentral region: A technical case report, 45–com
Roitberg B. Promoting nerve regeneration through long gaps using a small nerve tissue graft, 154–com
Roitberg B. Research news and notes, 5–ed, 84–ed, 145, 241, 342, 441
Roncaroli F. *See* Consales A
Roser F. *See* Nakamura M

S
Sahin Y. *See* Kaya RA
Saito I, Oka Y, Odaka M. Promoting nerve regeneration through long gaps using a small nerve tissue graft, 148
Saito N. *See* Watanabe T
Sakaki S. *See* Ohue S
Salvi F. *See* Consales A
Samii A. Lateral posterior fossa venous sinus relationships to surface landmarks, 397–com
Samii M. *See* Nakamura M
Samii M. Surgery combined with radiosurgery of large acoustic neuromas, 289–com
Samson D. Posterior fossa hemorrhage caused by dural arteriovenous fistula: Case reports, 515–com
Santiago P. *See* Mesiwala AH
Sasaki T. *See* Watanabe T
Sasoh M. Effects of EC-IC bypass surgery on cognitive impairment in patients with hemodynamic cerebral ischemia, 461–com
Sasoh M, Ogasawara K, Kuroda K, Okuguchi T, Terasaki K, Yamadate K, Ogawa A. Effects of EC-IC bypass surgery on cognitive impairment in patients with hemodynamic cerebral ischemia, 455
Sawamura Y. *See* Kamada K
Schiffbauer H. *See* Duffner F
Schmiedek P. Effects of EC-IC bypass surgery on cognitive impairment in patients with hemodynamic cerebral ischemia, 462–com
Schwebach L. *See* Asfora WT
Sciot R. *See* Buyse G
Sevin BU. *See* Deen HG
Shah AJ. *See* Bulsara KR
Shen C-C. *See* Tsai Y-D
Shimaguchi H. *See* Watanabe T
Shin YS. *See* Lee KC
Shiraishi T. *See* Ohue S
Shrontz C. Malpractice crisis, 351–com
Siekmann R. *See* Duffner F
Silbergeld DL. *See* Mesiwala AH
Sindou M. Demonstration of neurovascular compression in trigeminal neuralgia and hemifacial spasm with magnetic resonance imaging: Comparison with surgical findings in 60 consecutive cases, 99–com
Slavin KV. Phrenic nerve stimulation for diaphragm pacing with a spinal cord stimulator: Technical note, 132–com
Solomon RA. Importance of neuropsychological evaluation after surgery in patients with unruptured cerebral aneurysms, 275–com
Solomon RA. ISAT study: Is coiling better than clipping?, 173–com
Sonntag VKH. *See* Kroppenstedt S-N
Spetzler RF. *See* Kroppenstedt S-N
Spetzler RF. Surgical management of brain-stem cavernous malformations: Report of 137 cases, 454–com
Squarey K. *See* Maroun F
Stoll A. *See* Bosma JJD
Sugawa N. *See* Asakura F
Sugiu K, Katsumata A, Ono Y, Tamiya T, Ohmoto T. Angioplasty and coiling of ruptured aneurysm with symptomatic vasospasm: Technical case report, 413
Sugiura T. *See* Yunoki M
Sun B. *See* Wang C-c
Sung J-H. *See* Choi S-J
Su T-M. *See* Tsai Y-D

T
Tabuchi K. *See* Abe M
Taira T, Takeda N, Itoh K, Oikawa A, Hori T. Phrenic nerve stimulation for diaphragm pacing with a spinal cord stimulator: Technical note, 128
Takada S. *See* Ohue S
Takahashi N. *See* Murakami K
Takakura K. Intraventricular meningiomas: A review of 16 cases with reference to the literature, 502–com
Takakura K. Meningeal hemangiopericytomas: Long-term outcome and biological behavior, 53–com
Takase T, Ishikawa M, Nishi S, Aoki T, Wada E, Owaki H, Katsuki T, Fukuda H. A recurrent intradural cervical neurenteric cyst operated on using an anterior approach: A case report, 34
Takeda N. *See* Taira T
Takeichi Y. *See* Nakajima M
Takeuchi F. *See* Kamada K
Taki K. *See* Abe M

Tamargo RJ. The World Federation of Neurological Surgeons Scale for subarachnoid haemorrhage, 237–com
Tamiya T. *See* Sugiu K
Tanaka Y. *See* Tatebayashi K
Taniguchi E. *See* Yamasaki F
Tarlov E. Microsurgical excision of symptomatic sacral perineurial cysts: A study of 15 cases, 105–com
Tasker RR. The impact of thalamic stimulation on activities 484-comof daily living for essential tremor
Tatebayashi K, Tanaka Y, Numata H, Kawakami S, Kamitani H, Watanabe T. Schwannoma of the spinal accessory nerve in the cisterna magna, 217
Taylor CL. Posterior fossa hemorrhage caused by dural arteriovenous fistula: Case reports, 515–com
Teitlebaum GP. Usefulness of multiple-site venous sampling in the treatment of adrenocorticotropic hormone-producing pituitary adenomas, 298–com
Tekdemir I. Common surgical pitfalls in the skull, 231–com
Tenjin H. *See* Asakura F
Terasaki K. *See* Sasoh M
ter Brugge KG. ISAT study: Is coiling better than clipping?, 172–com
Thomas TMM. *See* Chan SWW
Toda, K. *See* Honda M
Tokushige K. *See* Kyoshima K
Tsai Y-D, Chang W-N, Shen C-C, Lin Y-C, Lu C-H, Liliang P-C, Su T-M, Rau C-S, Lu K, Kiang C-L. Intracranial suppuration: A clinical comparison of subdural empyemas and epidural abscesses, 191
Tsukamoto M. *See* Kaido T
Türkmenoğlu O. *See* Kaya RA

U
Uchino A. *See* Abe M
Udono H. *See* Abe M
Ukita N. *See* Yunoki M
Umezawa K. *See* Murakami K
Ushio Y. *See* Kai Y

V
Van Calenbergh F. *See* Buyse G
VanGilder J. Growth potential of prolactinomas in men: Is it really different from women?, 390–com
VanGilder JC. Usefulness of multiple-site venous sampling in the treatment of adrenocorticotropic hormone-producing pituitary adenomas, 298–com
Vannemreddy PSSV. *See* Nanda A
Vatsal DK. *See* Chawla J
Verpoorten C. *See* Buyse G
Villavicencio AT. *See* Bulsara KR; McGirt MJ
Villavicencio AT, Leveque J-C, McGirt MJ, Hopkins JS, Fuchs HE, George TM. Comparison of revision rates following endoscopically *versus* nonendoscopically placed ventricular shunt catheters, 375
Vorkapic P. *See* Nakamura M

W
Wada E. *See* Takase T
Wang CC. Intraventricular meningiomas: A review of 16 cases with reference to the literature, 502–com
Wang CC, Liu A, Zhang J-t, Sun B, Zhao Y-I. Surgical management of brain-stem cavernous malformations: Report of 137 cases, 444
Wang CC. Pineal region lesion masquerading choroid plexus papilloma: Case report, 127–com
Warnke PC. *See* Bosma JJD
Watanabe K. *See* Nakajima M
Watanabe T. *See* Tatebayashi K
Watanabe T, Saito N, Shimaguchi H, Fujumaki H, Kamiya M, Nakazato Y, Sasaki T. Primary epithelioid hemangioendothelioma originating in the lower petroclival region: Case report, 429
Weir B. *See* Macdonald RL; Maroun F
Weiss M. Growth potential of prolactinomas in men: Is it really different from women?, 390–com
Wharen RE. *See* Deen HG
Willis BK. *See* Nanda A
Woo H-K. *See* Choi S-J
Wyler AR. Combining MEG and MRI with neuronavigation for treatment of an epileptiform spike focus in the precentral region: A technical case report, 46–com

Y
Yamadate K. *See* Sasoh M
Yamaguchi S, Hida K, Akino M, Yano S, Iwasaki Y. Spinal subdural hematoma: A sequela of a ruptured intracranial aneurysm?, 408
Yamanaka K. *See* Iwai Y
Yamasaki F, Kodama Y, Hotta T, Taniguchi E, Eguchi K, Yoshioka H, Arita K, Kurisu K. Interhemispheric arachnoid cyst in the elderly: Case report and review of the literature, 68
Yamashita M. *See* Ooba H
Yano S. *See* Yamaguchi S
Yonas H. Analysis of ischemic brain damage in cases of acute subdural hematomas, 472–com
Yonas H. Effects of EC-IC bypass surgery on cognitive impairment in patients with hemodynamic cerebral ischemia, 460–com
Yonekawa Y. Evaluation of intra-aneurysmal blood flow by digital subtraction angiography: Blood flow change after coil embolization, 319–com
Yonekura M. *See* Honda M
Yoshikai T. *See* Abe M
Yoshioka H. *See* Yamasaki F
Young HF. Effects of lecithinized superoxide dismutase on neuronal cell loss in CA3 hippocampus after traumatic brain injury in rats, 160–com
Yunoki M, Kawauchi M, Ukita N, Sugiura T, Ohmoto T. Effects of lecithinized superoxide dismutase on neuronal cell loss in CA3 hippocampus after traumatic brain injury in rats, 156

Z
Zhang J-t. *See* Wang C-c
Zhang S. *See* Zhi D
Zhao Y-L. *See* Wang C-c
Zhi D, Zhang S, Lin X. Study on therapeutic mechanism and clinical effect of mild hypothermia in patients with severe head injury, 381
Zhou L-F. Pineal region lesion masquerading choroid plexus papilloma: Case report, 127–com
Ziyal IM. *See* Kaya RA

ELSEVIER

Subject Index

A

Abscess
- intracranial suppuration: clinical comparison of subdural empyemas and epidural abscesses, 191
- MR demonstration of brain abscess rupture into subarachnoid space and its possible implication in management, 197
- multiple cerebral abscesses because of *Listeria monocytogenes,* 320
- title comparison of primary and secondary spinal epidural abscesses, 28

Accessory nerve schwannoma in cisterna magna, 217
Acoustic neuroma, surgery combined with radiosurgery for, 283
Activities of daily living, impact of thalamic stimulation for essential tremor on, 479
Adrenocorticotropic hormone-producing pituitary adenomas, multiple-site venous sampling in treatment of, 292
Adverse drug reactions, delirium in elderly resulting from azithromycin therapy, 508
Amyloidoma of brachial plexus, 418
Anatomy
- common surgical pitfalls in the skull, 228
- lateral posterior fossa venous sinus relationships to surface landmarks, 392

Aneurysms
- angioplasty and coiling of ruptured aneurysm with symptomatic vasospasm, 413
- evaluation of intra-aneurysmal blood flow by digital subtraction angiography, 310
- ISAT study: is coiling better than clipping?, 162
- neuropsychological evaluation after surgery in patients with unruptured cerebral aneurysms, 269
- rupture of middle cerebral artery aneurysm in neonate, 114
- spinal subdural hematoma: sequela of ruptured intracranial aneurysm?, 408
- surgery for posterior communicating artery aneurysms, 107
- vertebrobasilar artery dissection presenting with simultaneous subarachnoid hemorrhage and brain stem infarction, 18

Angiography
- angioplasty and coiling of ruptured aneurysm with symptomatic vasospasm, 413
- chronic intraventricular encapsulated hematoma presenting unique radiological features, 23
- evaluation of intra-aneurysmal blood flow by digital subtraction angiography, 310
- intraventricular meningiomas, 491
- management of carotid artery injuries: Louisiana State University Shreveport experience, 184
- posterior fossa hemorrhage caused by dural arteriovenous fistula, 511
- rupture of middle cerebral artery aneurysm in neonate, 114
- vertebral artery complications in anterior approaches to cervical spine, 300

Anticoagulation, intermittent pneumatic compression devices plus dalteparin vs. intermittent pneumatic compression devices plus heparin for prevention of venous thromboembolism in patients undergoing craniotomy, 363
Antifibrinolytic therapy, effect of short-term therapy on experimental vasospasm, 10
Arachnoid cyst, interhemispheric, in the elderly, 68
Azithromycin, delirium in elderly resulting from, 508

B

BOOK REVIEWS
- Advances in Epilepsy Surgery and Radiosurgery, 524
- Texture of the Nervous System of Man and the Vertebrates, 1899, vol. 1, 523

Brachial plexus amyloidoma, 418
Brain stem
- surgical management of brain-stem cavernous malformations, 444
- vertebrobasilar artery dissection presenting with simultaneous subarachnoid hemorrhage and brain stem infarction, 18

Brain tumors
- combining MEG and MRI with neuronavigation for treatment of an epileptiform spike focus in precentral region, 40
- effects of hydrogen peroxide on brain and, 398
- growth potential of prolactinomas in men vs. women, 386
- intraventricular meningiomas, 491
- meningiomas—the future: is 2020 here?, 140–ed
- MRI-guided stereotactic biopsy in diagnosis of glioma, 277
- natural history of untreated skull base meningiomas, 87
- pineal region lesion masquerading choroid plexus papilloma, 124
- successful aqueductal plasty and stenting for tectal plate tumor after failed third ventriculostomy, 58
- third ventricular chordoid glioma, 424
- treatment of pineal region tumors, 250

C

Carotid artery injuries, management of: Louisiana State University Shreveport experience, 184

0090-3019/03/$–see front matter
doi:10.1016/S0090-3019(03)00000-0

© 2003 by Elsevier Inc.
360 Park Avenue South, New York, NY 10010–1710

Cavernous malformations of brain stem, surgical management, 444
Cerebral vasospasm
angioplasty and coiling of ruptured aneurysm with symptomatic vasospasm, 413
experimental, effect of short-term antifibrinolytic therapy, 10
Cerebrospinal fluid
lumbar peritoneal shunting with video-laparoscopic assistance, 473
revision rates following endoscopically vs. nonendoscopically placed ventricular shunt catheters, 375
Cervical spine
recurrent intradural cervical neurenteric cyst operated on using anterior approach, 34
simple cervical spine traction using a halo vest apparatus, 517
vertebral artery complications in anterior approaches to, 300
Chemotherapy, for pineal region tumors, 250
Chloroma, intracranial, in hypereosinophilic myelofibrosis, 55
Chordoid glioma, third ventricular, 424
Choroid plexus papilloma, pineal region lesion masquerading as, 124
Cisterna magna, schwannoma of spinal accessory nerve in, 217
Clinical trials
intermittent pneumatic compression devices, plus dalteparin vs. intermittent pneumatic compression devices plus heparin for prevention of venous thromboembolism in patients undergoing craniotomy, 363
ISAT study: is coiling better than clipping?, 162
Cognitive impairment
delirium in elderly resulting from azithromycin therapy, 508
effects of IC-IC bypass surgery on, in patients with hemodynamic cerebral ischemia, 455
neuropsychological evaluation after surgery in patients with unruptured cerebral aneurysms, 269
Coiling procedures
angioplasty and coiling of ruptured aneurysm with symptomatic vasospasm, 413
ISAT study: is coiling better than clipping?, 162
Complications
delirium in elderly resulting from azithromycin therapy, 508
intermittent pneumatic compression devices plus dalteparin vs. intermittent pneumatic compression devices plus heparin for prevention of venous thromboembolism in patients undergoing craniotomy, 363
spinal subdural hematoma: sequela of ruptured intracranial aneurysm?, 408
vertebral artery complications in anterior approaches to cervical spine, 300
Computed tomography
congenital cavernous angioma of temporal bone, 120
interhemispheric arachnoid cyst in the elderly, 68
intracranial chloroma in hypereosinophilic myelofibrosis, 55
intracranial suppuration: clinical comparison of subdural empyemas and epidural abscesses, 191
ischemic brain damage in cases of acute subdural hematomas, 464
meningeal menalocytoma of brain and oculodermal melanocytosis, 200
rupture of middle cerebral artery aneurysm in neonate, 114
successful aqueductal plasty and stenting for tectal plate tumor after failed third ventriculostomy, 58
treatment of pineal region tumors, 250
vertebrobasilar artery dissection presenting with simultaneous subarachnoid hemorrhage and brain stem infarction, 18
Congenital cavernous angioma of temporal bone, 120
Corticospinal tract, visualization of the eloquent motor system by integration of MEG, functional, and anisotropic diffusion-weighted MRI in functional neuronavigation, 353
Cranial nerves
demonstration of neurovascular compression in trigeminal neuralgia and hemifacial spasm with MRI, 93
percutaneous trigeminal ganglion balloon compression for treatment of trigeminal neuralgia—part I: pressure recordings, 63
schwannoma of spinal accessory nerve in cisterna magna, 217
Craniotomy
intermittent pneumatic compression devices plus dalteparin vs. intermittent pneumatic compression devices plus heparin for prevention of venous thromboembolism in patients undergoing, 363
supraorbital key-hole, 223
Cushing disease, multiple-site venous sampling in treatment of adrenocorticotropic hormone-producing pituitary adenomas, 292
Cysts
interhemispheric arachnoid cyst in the elderly, 68
microsurgical excision of symptomatic sacral perineurial cysts, 101
pathogenesis of intraparenchymal epidermoid cyst in brain, 211
recurrent intradural cervical neurenteric cyst operated on using anterior approach, 34

D

Deep brain stimulation, impact of thalamic stimulation on activities of daily living for essential tremor, 479
Delirium in elderly resulting from azithromycin therapy, 508
Devices and equipment
intermittent pneumatic compression devices plus dalteparin vs. intermittent pneumatic compression devices plus heparin for prevention of venous thromboembolism in patients undergoing craniotomy, 363
simple cervical spine traction using a halo vest apparatus, 517
Diaphragm pacing, phrenic nerve stimulation with spinal cord stimulator, 128
Dural arteriovenous fistula, posterior fossa hemorrhage caused by, 511

Duraplasty, microsurgical excision of symptomatic sacral perineurial cysts, 101

E

Economic issues
  health care costs, 76–ed
  insurance and the depersonalization of medicine, 131
Editorials
  First operating loss for University Community Hospital-Tampa, 77
  "House Energy and Commerce Committee passes patient safety bill," 77
  In this issue, 3, 83, 143, 239, 341, 439
  Malpractice crisis, 348–ed
  Malpractice crisis-I (I told you it would happen), 234
  Medico-legal aspects of neurosurgical practice, 345
  Meningiomas—the future: is 2020 here?, 140
  Neurosurgeons, work stoppages, and the art of negotiation, 437
  Patients' bill of rights or trial lawyers' bill of delights, 333
  Poll: patients ignore quality rankings, 76
  Practice patterns in the U.S., 75
  Practice patterns in the USA-VI, 521
  Research, 80
  To the Robin Hood era. . . and back, 435
  Specialty surgery hospital for orthopedics and neurosurgery, 76
  Surgical Neurology: the beginning, 8
  Surgical Neurology's list of billionaires, 522
  30th anniversary year of *Surgical Neurology,* 1
  Treat the patient not the disease, 139
  "United we stand. . . ", 335
  US life expectancy reaches record high, 76
  What is driving the rising cost of health care?, 76
  Why everyone picks on doctors, 336–ed
Elderly patients
  delirium resulting from azithromycin therapy, 508
  interhemispheric arachnoid cyst in, 68
Endoscopically vs. nonendoscopically placed ventricular shunt catheters, revision rates following, 375
Endovascular therapy
  angioplasty and coiling of ruptured aneurysm with symptomatic vasospasm, 413
  ISAT study: is coiling better than clipping?, 162
Epidermoid cyst, pathogenesis of intraparenchymal epidermoid cyst in brain, 211
Epidural abscess, intracranial suppuration: clinical comparison of subdural empyema and, 191
Epilepsy, combining MEG and MRI with neuronavigation for treatment of an epileptiform spike focus in precentral region, 40
Epithelioid hemangioendothelioma originating in lower petroclival region, 429
Essential tremor, impact of thalamic stimulation on activities of daily living for, 479
Extracranial-intracranial (EC-IC) bypass surgery, effects on cognitive impairment in patients with hemodynamic cerebral ischemia, 455

F

Foramen magnum syndrome, schwannoma of spinal accessory nerve in cisterna magna, 217

G

Glioma
  MRI-guided stereotactic biopsy in diagnosis of, 277
  third ventricular chordoid glioma, 424
Granulocytic sarcoma, intracranial chloroma in hypereosinophilic myelofibrosis, 55

H

Halo vest, simple cervical spine traction using, 517
Head trauma
  effects of lecithinized superoxide dismutase on neuronal cell loss in CA3 hippocampus after traumatic brain injury in rats, 156
  therapeutic mechanism and clinical effect of mild hypothermia in patients with severe head injury, 381
Health care costs, 76–ed
Hemangioendothelioma, epithelioid, originating in lower petroclival region, 429
Hemangiopericytomas, meningeal: long-term outcome and biological behavior, 47
Hematoma
  chronic intraventricular encapsulated hematoma presenting unique radiological features, 23
  effects on prognosis of surgical treatment of hypertensive putaminal hematomas through transsylvian transinsular approach, 176
  ischemic brain damage in cases of acute subdural hematomas, 464
  modified technique to treat chronic and subacute subdural hematoma, 329
  spinal subdural hematoma: sequela of ruptured intracranial aneurysm?, 408
Hemifacial spasm, MRI demonstration of neurovascular compression in trigeminal neuralgia and, 93
Hemorrhage
  posterior fossa hemorrhage caused by dural arteriovenous fistula, 511
  subarachnoid
    effect of short-term antifibrinolytic therapy on experimental vasospasm, 10
    ISAT study: is coiling better than clipping?, 162
    spinal subdural hematoma: sequela of ruptured intracranial aneurysm?, 408
    vertebrobasilar artery dissection presenting with simultaneous brain stem infarction and, 18
    the World Federation of Neurological Surgeons Scale for, 236–le
Hippocampus, effects of lecithinized superoxide dismutase on neuronal cell loss in CA3 hippocampus after traumatic brain injury in rats, 156
Histology
  amyloidoma of brachial plexus, 418
  brain-stem cavernous malformations, 444
  effects of hydrogen peroxide on brain and brain tumors, 398
  epithelioid hemangioendothelioma originating in lower petroclival region, 429
  meningeal melanocytoma of brain and oculodermal melanocytosis, 200
  third ventricular chordoid glioma, 424
History
  Dr. Paul Bucy and the M.D./Ph.D. program, 232

Texture of the Nervous System of Man and the Vertebrates, 1899, vol. 1 (book review), 523
Hydrocephalus, revision rates following endoscopically vs. nonendoscopically placed ventricular shunt catheters, 375
Hydrogen peroxide, effects on brain and brain tumors, 398
Hypereosinophilic myelofibrosis, intracranial chloroma in, 55
Hypertensive putaminal hematoma, effects on prognosis of surgical treatment through transsylvian transinsular approach, 176
Hypothermia, therapeutic mechanism and clinical effect in patients with severe head injury, 381

I
Immunohistochemistry, meningeal menalocytoma of brain and oculodermal melanocytosis, 200
Infection
  intracranial suppuration: clinical comparison of subdural empyemas and epidural abscesses, 191
  MR demonstration of brain abscess rupture into subarachnoid space and its possible implication in management, 197
  multiple cerebral abscesses because of *Listeria monocytogenes,* 320
  title comparison of primary and secondary spinal epidural abscesses, 28
Insurance and the depersonalization of medicine, 131
Intermittent pneumatic compression devices plus dalteparin vs. intermittent pneumatic compression devices plus heparin for prevention of venous thromboembolism in patients undergoing craniotomy, 363
International Subarachnoid Aneurysm Trial Collaborative Group (ISAT), is coiling better than clipping?, 162
Intraventricular meningiomas, 491
Ischemia
  effect of short-term antifibrinolytic therapy on experimental vasospasm, 10
  effects of EC-IC bypass surgery on cognitive impairment in patients with hemodynamic cerebral ischemia, 455
  ischemic brain damage in cases of acute subdural hematomas, 464

L
Laparoscopy, lumbar peritoneal shunting with video-laparoscopic assistance, 473
Lateral posterior fossa venous sinus relationships to surface landmarks, 392
Legal issues
  malpractice crisis, 348–ed
  malpractice crisis-I (I told you it would happen), 234–ed
  medico-legal aspects of neurosurgical practice, 345–ed
  neurosurgeons, work stoppages, and the art of negotiation, 437–ed
  patient safety legislation, 77–ed
  patients' bill of rights or trial lawyers' bill of delights, 333–ed
Life expectancy in US, 76–ed
Listeria monocytogenes, multiple cerebral abscesses, 320
Lumbosacral spine
  lumbar peritoneal shunting with video-laparoscopic assistance, 473
  microsurgical excision of symptomatic sacral perineurial cysts, 101

M
Magnetic resonance imaging (MRI)
  chronic intraventricular encapsulated hematoma presenting unique radiological features, 23
  combining MEG and MRI with neuronavigation for treatment of an epileptiform spike focus in precentral region, 40
  congenital cavernous angioma of temporal bone, 120
  demonstration of neurovascular compression in trigeminal neuralgia and hemifacial spasm with, 93
  interhemispheric arachnoid cyst in the elderly, 68
  intraventricular meningiomas, 491
  meningeal hemangiopericytomas, 47
  microsurgical excision of symptomatic sacral perineurial cysts, 101
  MR demonstration of brain abscess rupture into subarachnoid space and its possible implication in management, 197
  MRI-guided stereotactic biopsy in diagnosis of glioma, 277
  natural history of untreated skull base meningiomas, 87
  pathogenesis of intraparenchymal epidermoid cyst in brain, 211
  pineal region lesion masquerading choroid plexus papilloma, 124
  recurrent intradural cervical neurenteric cyst operated on using anterior approach, 34
  schwannoma of spinal accessory nerve in cisterna magna, 217
  segmental spinal cord hypoplasia and meningocele with preservation of medullary function, 504
  spinal subdural hematoma: sequela of ruptured intracranial aneurysm?, 408
  successful aqueductal plasty and stenting for tectal plate tumor after failed third ventriculostomy, 58
  surgery combined with radiosurgery for large acoustic neuromas, 283
  surgical management of brain-stem cavernous malformations, 444
  third ventricular chordoid glioma, 424
  title comparison of primary and secondary spinal epidural abscesses, 28
  treatment of pineal region tumors, 250
  vertebrobasilar artery dissection presenting with simultaneous subarachnoid hemorrhage and brain stem infarction, 18
  visualization of the eloquent motor system by integration of MEG, functional, and anisotropic diffusion-weighted MRI in functional neuronavigation, 353
Magnetoencephalography (MEG)
  combining MEG and MRI with neuronavigation for treatment of an epileptiform spike focus in precentral region, 40

visualization of the eloquent motor system by integration of MEG, functional, and anisotropic diffusion-weighted MRI in functional neuronavigation, 353
Malpractice. *See also* Legal issues
malpractice crisis, 348–ed
malpractice crisis-I (I told you it would happen), 234–ed
medico-legal aspects of neurosurgical practice, 345–ed
neurosurgeons, work stoppages, and the art of negotiation, 437–ed
Medical education, Dr. Paul Bucy and the M.D./Ph.D. program, 232
Meningeal hemangiopericytomas, long-term outcome and biological behavior, 47
Meningeal menalocytoma of brain and oculodermal melanocytosis, 200
Meningioma
intraventricular, 491
meningiomas—the future: is 2020 here?, 140–ed
natural history of untreated skull base meningiomas, 87
Meningitis, MR demonstration of brain abscess rupture into subarachnoid space and its possible implication in management, 197
Metastasis, meningeal hemangiopericytomas: long-term outcome and biological behavior, 47
Microsurgery, excision of symptomatic sacral perineurial cysts, 101
Middle cerebral artery aneurysm rupture in neonate, 114
Minimally invasive surgery, surgical technique of supraorbital key-hole craniotomy, 223
Movement disorders
impact of thalamic stimulation on activities of daily living for essential tremor, 479
posteroventral pallidotomy in medically intractable postapoplectic monochorea, 486
Myelofibrosis, hypereosinophilic, intracranial chloroma in, 55
Myelomeningocele, segmental spinal cord hypoplasia and meningocele with preservation of medullary function, 504

N

Neoplasms
amyloidoma of brachial plexus, 418
congenital cavernous angioma of temporal bone, 120
effects of hydrogen peroxide on brain and brain tumors, 398
growth potential of prolactinomas in men vs. women, 386
interhemispheric arachnoid cyst in the elderly, 68
intracranial chloroma in hypereosinophilic myelofibrosis, 55
intraventricular meningiomas, 491
meningeal hemangiopericytomas: long-term outcome and biological behavior, 47
meningeal menalocytoma of brain and oculodermal melanocytosis, 200
meningiomas—the future: is 2020 here?, 140–ed
MRI-guided stereotactic biopsy in diagnosis of glioma, 277
multiple-site venous sampling in treatment of adrenocorticotropic hormone-producing pituitary adenomas, 292
natural history of untreated skull base meningiomas, 87
pathogenesis of intraparenchymal epidermoid cyst in brain, 211
pineal region lesion masquerading choroid plexus papilloma, 124
primary epithelioid hemangioendothelioma originating in lower petroclival region, 429
recurrent intradural cervical neurenteric cyst operated on using anterior approach, 34
schwannoma of spinal accessory nerve in cisterna magna, 217
successful aqueductal plasty and stenting for tectal plate tumor after failed third ventriculostomy, 58
surgery combined with radiosurgery for large acoustic neuromas, 283
third ventricular chordoid glioma, 424
treatment of pineal region tumors, 250
Nerve graft, promoting nerve regeneration through long gaps using a small nerve tissue graft, 148
Neurenteric cyst, recurrent intradural cervical neurenteric cyst operated on using anterior approach, 34
Neuronal cell loss, effects of lecithinized superoxide dismutase on neuronal cell loss in CA3 hippocampus after traumatic brain injury in rats, 156
Neuronavigation
combining MEG and MRI with neuronavigation for treatment of an epileptiform spike focus in precentral region, 40
visualization of the eloquent motor system by integration of MEG, functional, and anisotropic diffusion-weighted MRI in functional neuronavigation, 353
Neuropsychological evaluation after surgery in patients with unruptured cerebral aneurysms, 269
Neurosurgery
Dr. Paul Bucy and the M.D./Ph.D. program, 232
I'm not going to take it anymore (controversy), 244
insurance and the depersonalization of medicine, 131
malpractice crisis, 348–ed
malpractice crisis-I (I told you it would happen), 234–ed
medico-legal aspects of neurosurgical practice, 345–ed
neurosurgeons, work stoppages, and the art of negotiation, 437–ed
patients' bill of rights or trial lawyers' bill of delights, 333–ed
practice patterns in the U.S., 75–ed, 521–ed
to the Robin Hood era. . . and back, 435–ed
specialty surgery hospital for orthopedics and neurosurgery, 76–ed
Surgical Neurology's list of billionaires, 522–ed
treat the patient not the disease, 139–ed
"united we stand. . . ", 335–ed
why everyone picks on doctors, 336–ed
Neurotropism, promoting nerve regeneration through long gaps using a small nerve tissue graft, 148
Neurovascular compression, MRI demonstration in trigeminal neuralgia and hemifacial spasm, 93

Nevus of Ota, meningeal menalocytoma of brain and oculodermal melanocytosis, 200

P

Pain
  demonstration of neurovascular compression in trigeminal neuralgia and hemifacial spasm with MRI, 93
  percutaneous trigeminal ganglion balloon compression for treatment of trigeminal neuralgia—part I: pressure recordings, 63
Pallidotomy, posteroventral, in medically intractable postapoplectic monochorea, 486
Patient safety legislation, 77–ed
Patients' bill of rights or trial lawyers' bill of delights, 333–ed
Pediatric patients
  rupture of middle cerebral artery aneurysm in neonate, 114
  segmental spinal cord hypoplasia and meningocele with preservation of medullary function, 504
Peripheral nerves
  amyloidoma of brachial plexus, 418
  promoting nerve regeneration through long gaps using a small nerve tissue graft, 148
Phrenic nerve stimulation for diaphragm pacing with spinal cord stimulator, 128
Pineal region tumors
  lesion masquerading choroid plexus papilloma, 124
  principles of treatment, 250
Pituitary tumors
  growth potential of prolactinomas in men vs. women, 386
  multiple-site venous sampling in treatment of adrenocorticotropic hormone-producing pituitary adenomas, 292
Postapoplectic monochorea, posteroventral pallidotomy in, 486
Posterior communicating artery aneurysms, 107
Posterior fossa
  hemorrhage caused by dural arteriovenous fistula, 511
  lateral posterior fossa venous sinus relationships to surface landmarks, 392
Practice patterns in the U.S., 75–ed, 521–ed
Prognosis, effects on prognosis of surgical treatment of hypertensive putaminal hematomas through transsylvian transinsular approach, 176
Prolactinoma, growth potential in men vs. women, 386
Pseudoaneurysm, vertebral artery complications in anterior approaches to cervical spine, 300

R

Radiation therapy
  meningeal hemangiopericytomas, 47
  pineal region tumors, 250
Radiosurgery
  combined with surgery for large acoustic neuromas, 283
  meningeal hemangiopericytomas, 47
Readers' comments, 338–le
  the World Federation of Neurological Surgeons Scale for subarachnoid haemorrhage, 236–le
Research, 80–ed
Research news and notes, 5, 85, 145, 241, 343, 441

S

Sacral perineurial cysts, microsurgical excision of symptomatic cysts, 101
Schwannoma of spinal accessory nerve in cisterna magna, 217
Shunt procedures
  lumbar peritoneal shunting with video-laparoscopic assistance, 473
  revision rates following endoscopically vs. nonendoscopically placed ventricular shunt catheters, 375
Skull base
  common surgical pitfalls in the skull, 228
  natural history of untreated skull base meningiomas, 87
  primary epithelioid hemangioendothelioma originating in lower petroclival region, 429
Spinal cord
  phrenic nerve stimulation for diaphragm pacing with spinal cord stimulator, 128
  segmental spinal cord hypoplasia and meningocele with preservation of medullary function, 504
Spinal epidural abscess, primary vs. secondary, 28
Spinal subdural hematoma, sequela of ruptured intracranial aneurysm?, 408
Stereotactic biopsy, MRI-guided, in diagnosis of glioma, 277
Striatal hemorrhagic infarction, posteroventral pallidotomy in medically intractable postapoplectic monochorea, 486
Stroke, effects on prognosis of surgical treatment of hypertensive putaminal hematomas through transsylvian transinsular approach, 176
Subarachnoid hemorrhage
  effect of short-term antifibrinolytic therapy on experimental vasospasm, 10
  ISAT study: is coiling better than clipping?, 162
  spinal subdural hematoma: sequela of ruptured intracranial aneurysm?, 408
  vertebrobasilar artery dissection presenting with simultaneous brain stem infarction and, 18
  the World Federation of Neurological Surgeons Scale for, 236–le
Subarachnoid space, MR demonstration of brain abscess rupture into subarachnoid space and its possible implication in management, 197
Subdural empyema, intracranial suppuration: clinical comparison of epidural abscess and, 191
Subdural hematoma
  chronic and subacute, modified technique to treat, 329
  ischemic brain damage in cases of acute subdural hematomas, 464
  spinal: sequela of ruptured intracranial aneurysm?, 408
Superoxide dismutase, lecithinized, effects on neuronal cell loss in CA3 hippocampus after traumatic brain injury in rats, 156
Supraorbital key-hole craniotomy, 223
Surgical Neurology
  the beginning, 8–ed

editorial policy, 79
editor's note, 78
list of billionaires, 522–ed
30th anniversary year, 1–ed
Surgical technique
angioplasty and coiling of ruptured aneurysm with symptomatic vasospasm, 413
combining MEG and MRI with neuronavigation for treatment of an epileptiform spike focus in precentral region, 40
common surgical pitfalls in the skull, 228
effects on prognosis of surgical treatment of hypertensive putaminal hematomas through transsylvian transinsular approach, 176
ISAT study: is coiling better than clipping?, 162
microsurgical excision of symptomatic sacral perineurial cysts, 101
modified technique to treat chronic and subacute subdural hematoma, 329
percutaneous trigeminal ganglion balloon compression for treatment of trigeminal neuralgia—part I: pressure recordings, 63
phrenic nerve stimulation for diaphragm pacing with spinal cord stimulator, 128
recurrent intradural cervical neurenteric cyst operated on using anterior approach, 34
simple cervical spine traction using a halo vest apparatus, 517
successful aqueductal plasty and stenting for tectal plate tumor after failed third ventriculostomy, 58
supraorbital key-hole craniotomy, 223
surgery for posterior communicating artery aneurysms, 107
treatment of pineal region tumors, 250

T

Tectal glioma, successful aqueductal plasty and stenting for tectal plate tumor after failed third ventriculostomy, 58
Temporal bone, congenital cavernous angioma of, 120
Thalamic stimulation for essential tremor, impact on activities of daily living, 479
Third ventricle
chordoid glioma, 424
intraventricular meningiomas, 491
successful aqueductal plasty and stenting for tectal plate tumor after failure of third ventriculostomy, 58
Thromboembolism, intermittent pneumatic compression devices plus dalteparin vs. intermittent pneumatic compression devices plus heparin for prevention of venous thromboembolism in patients undergoing craniotomy, 363
Traction, simple cervical spine traction using a halo vest apparatus, 517
Tranexamic acid, effect of short-term antifibrinolytic therapy on experimental vasospasm, 10
Trauma
effects of lecithinized superoxide dismutase on neuronal cell loss in CA3 hippocampus after traumatic brain injury in rats, 156
management of carotid artery injuries: Louisiana State University Shreveport experience, 184
therapeutic mechanism and clinical effect of mild hypothermia in patients with severe head injury, 381
Tremor, impact of thalamic stimulation on activities of daily living for, 479
Trigeminal neuralgia
demonstration of neurovascular compression in trigeminal neuralgia and hemifacial spasm with MRI, 93
percutaneous trigeminal ganglion balloon compression for treatment of trigeminal neuralgia—part I: pressure recordings, 63

U

Ultrasonography, congenital cavernous angioma of temporal bone, 120

V

Vasculature
angioplasty and coiling of ruptured aneurysm with symptomatic vasospasm, 413
effect of short-term antifibrinolytic therapy on experimental vasospasm, 10
epithelioid hemangioendothelioma originating in lower petroclival region, 429
evaluation of intra-aneurysmal blood flow by digital subtraction angiography, 310
intermittent pneumatic compression devices plus dalteparin vs. intermittent pneumatic compression devices plus heparin for prevention of venous thromboembolism in patients undergoing craniotomy, 363
ISAT study: is coiling better than clipping?, 162
management of carotid artery injuries: Louisiana State University Shreveport experience, 184
neuropsychological evaluation after surgery in patients with unruptured cerebral aneurysms, 269
posterior fossa hemorrhage caused by dural arteriovenous fistula, 511
rupture of middle cerebral artery aneurysm in neonate, 114
surgery for posterior communicating artery aneurysms, 107
surgical management of brain-stem cavernous malformations, 444
vertebral artery complications in anterior approaches to cervical spine, 300
vertebrobasilar artery dissection presenting with simultaneous subarachnoid hemorrhage and brain stem infarction, 18
Venous sinuses, lateral posterior fossa venous sinus relationships to surface landmarks, 392
Ventricular shunt catheters, revision rates following endoscopic vs. nonendoscopic placement of, 375
Vertebral artery
complications in anterior approaches to cervical spine, 300
vertebrobasilar artery dissection presenting with simultaneous subarachnoid hemorrhage and brain stem infarction, 18
Vestibular schwannoma, surgery combined with radiosurgery for, 283

W

World Federation of Neurological Surgeons Scale for subarachnoid haemorrhage, 236–le